

MICRO WATERLED MK3



DESCRIPTION

Ideal fit for a huge variety of small-sized underwater features, MICRO WATERLED MK3 is equipped with one quad-colour LED for superior colour mixing directly at the lens. This extremely compact fixture is a visually appealing solution capable of delivering smooth transitioning and optimal colour consistency. Suitable for installation in shallow waters or along pools or fountains borders owing to its reduced size, it creates an amazing variety of light games and patterns in coloured, as well as in tunable white light.

MAIN FEATURES

- Max. delivered lm output: 413 lm / 46 lm/W
- Size: (HxWxD) 172x155x62 mm / 6.8x6.1x2.4"
- Control system: DMX-RDM
- Ultra compact underwater LED fixture specific for small sized installations in chlorine water and marine environment


LED COLOUR CONFIGURATIONS





UNDERWATER LIGHTING 231

MICRO WATERLED MK3



FEATURES

















OPTIONS







FROSTED

LED COLOUR CONFIGURATIONS











DW 3000/6500K

CODES

AL8365 MICRO WATERLED MK3

| PERFORMANCE | WATT | MAX LM OUTPUT | LM/WATT |
|----------------------------|------|------------------|---------|
| Micke Willenges Mills Ross | 9 | 242 | 27 |
| | 9 | 413 | 46 |

| BEAM ANGLE REFERENCE | RGBW | DW |
|-------------------------|------|-----|
| SPOT | 8° | 8° |
| NARROW | 10° | 10° |
| MEDIUM | 25° | 25° |
| WIDE | 37° | 37° |

MORE INFO





