



WATERLED MK3



DESCRIPTION

To be used in large to medium sized water features, WATERLED MK3, with its refined and elegant AISI 316L stainless steel housing, relies upon an IP68 protection rating and is the ideal choice for a huge variety of lighting installations in chlorine water and marine environment. Delivering dynamic colourful or white light effects, the extraordinary luminous output of this fixture does not compromise environmentally friendly consumption rates. DMX-RDM digital control system adds up to the infrared remote control option for an even more comfortable and straightforward fixture management.


MAIN FEATURES

- Max. delivered lm output: 5040 lm / 105 lm/W
- Size: (HxWxD) 272.5x255x89.5 mm / 10.7x10x3.5"
- Control system: DMX-RDM
- Underwater LED fixture specific for a huge variety of large to medium sized installations in chlorine water and marine environment


LED COLOUR CONFIGURATIONS



WATERLED MK3




FEATURES



OPTIONS



LED COLOUR CONFIGURATIONS



MORE INFO



CODES

AL8373 WATERLED MK3

PERFORMANCE	WATT	MAX LM OUTPUT	LM/WATT
WATERLED MK3 RGBW	39	1788	46
WATERLED MK3 DW	48	5040	105
WATERLED MK3 W	48	5040	105

BEAM ANGLE REFERENCE	RGBW	DW/W
SPOT	8°	12°
NARROW	12°	15°
MEDIUM	23°	25°
WIDE	44°	48°
EXTRA WIDE	59°	61°
ELLIPTICAL	9° x 42°	14° x 39°
ELLIPTICAL WIDE	19° x 39°	23° x 37°
WALL WASH	14° (5° incline) x 37°	19° (5° incline) x 38°



France – Place de la Liberation, Dijon